

# ATTACHMENTS

## SAND BUCKET

The sand bucket is made of sturdy steel, suitable for handling aggregates, soil, waste materials in construction, agriculture and other uses.



**A 4 6 1 2 0 0 1**

Sand bucket  
width mm 1200  
volume l 159  
weight kg 66

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

639,00

**A 4 6 1 2 1 0 6**

Sand bucket  
width mm 1500  
volume l 200  
weight kg 78

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

637,00

**A 4 6 1 2 0 0 2**

Forged teeth for bucket  
6 pcs for mm 1200 bucket (price per unit)  
8 pcs for mm 1500 bucket (price per unit)

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

16,00

## HIGH VOLUME BUCKET

High capacity bucket built with sturdy steel, reinforced structure, suitable for handling light and voluminous materials such as debris, prunings, forage, snow, foliage, mulching.



**A 4 6 1 2 0 0 3**

High volume bucket  
width mm 1208  
volume l 265  
weight kg 83

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

641,00

**A 4 6 1 2 0 0 4**

High volume bucket  
width mm 1508  
volume l 330  
weight kg 97

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

757,00

## 4 IN 1 BUCKET

Multifunctional attachment, useful for different types of applications. Thanks to the lower opening operated by a double hydraulic cylinder, it allows to move stones, building materials, leveling. The 4-in-1 bucket is supplied with teeth separately.



**A 4 6 1 2 0 0 5**

4 in 1 bucket  
width mm 1300  
volume l 197  
weight kg 233

	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

2.509,00

**A 4 6 1 2 1 1 0**

4 in 1 bucket  
width mm 1504  
volume l 230  
weight kg 255

800ECO		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

2.795,00

**A 4 6 1 2 0 0 2**

Forged teeth for bucket  
6 pcs for mm 1300 bucket (price per unit)  
8 pcs for mm 1504 bucket (price per unit)

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

16,00

# ATTACHMENTS

## LOW PROFILE BUCKET

It is an extra-strong and reinforced steel bucket. It offers excellent visibility especially in leveling work. Ideal for handling heavy material, sand, ground.



A	4	6	1	2	1	1	7
---	---	---	---	---	---	---	---

Low profile bucket  
width mm 1200  
volume l 188  
weight kg 126

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE  
877,00

A	4	6	1	2	1	1	8
---	---	---	---	---	---	---	---

Low profile bucket  
width mm 1532  
volume l 240  
weight kg 146

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE  
967,00

## GRAPPLE BUCKET

It has been designed to handle objects of irregular shape. Ideal for trees, large rocks, bushes, industrial and demolition waste and recycling debris. Excellent accessory for construction and agriculture.



A	4	6	1	2	0	5	8
---	---	---	---	---	---	---	---

Grapple bucket  
width mm 1100  
weight kg 180

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE  
1.583,00

A	4	6	1	2	0	5	9
---	---	---	---	---	---	---	---

Grapple bucket\*  
width mm 1300  
weight kg 200  
\*equipped with teeth

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE  
1.667,00

## HIGH TIPPING BUCKET

This bucket increases the machine's unloading height. Ideal for loading vehicles with high sides. It is built with high strength material, hydraulic operation and excellent capacity.



A	4	6	1	2	1	3	0
---	---	---	---	---	---	---	---

High tipping bucket  
width mm 1208  
volume l 179  
weight kg 145

800ECO		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE  
2.425,00

# ATTACHMENTS

## FIXED JIB BOOM

This accessory is suitable for all lifting operations where there is a difficult accessibility or there are obstacles. Built in reinforced steel, it extends the extension of the arm and finds application in various sectors.



A	4	6	1	2	1	3	1
---	---	---	---	---	---	---	---

Jib boom  
length mm 1220  
weight kg 90  
lifting capacity kg 220


800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

608,00

## ROUND BALE FORK

Two-pronged ribbed metal fork with excellent resistance to carry any type of bales. It mounts quickly and easily. Ideal in agriculture and breeding.



A	4	6	1	2	0	1	1
---	---	---	---	---	---	---	---

Round bale fork  
width mm 808  
length of the teeth cm 64  
weight kg 54

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

443,00

## SILAGE FORK

It is a multipurpose bucket ideal for agriculture and livestock for handling fodder. Thanks to the hydraulic movement and the wide opening radius it is able to handle large logs, as well as branches, fagots etc...



A	4	6	1	2	0	1	2
---	---	---	---	---	---	---	---

Silage fork  
width mm 912  
length of the teeth cm 64  
weight kg 144

	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

1676,00

# ATTACHMENTS

## MANURE FORK

Built to offer excellent visibility to the operator, it is an excellent attachment for breeding forage, animal bedding and cleaning stables. The teeth can be easily and quickly replaced.



<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>3</b>
----------	----------	----------	----------	----------	----------	----------	----------

Manure fork  
width mm 1102  
weight kg 135

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

1.008,00

## LEVELER

Ideal attachment for leveling the ground. It is made of steel with a reticular structure that allows the easy and rapid leveling of sandy and gravelly surfaces.



<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>6</b>	<b>3</b>
----------	----------	----------	----------	----------	----------	----------	----------

Leveler

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

773,00

## ANGLE BLADE

This attachment is designed for heavy work, to level ground, move and move large quantities of material. It is made of very sturdy steel and can be oriented at angles up to 30 ° both to the right and to the left.



<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>4</b>
----------	----------	----------	----------	----------	----------	----------	----------

Angle blade  
width mm 1400  
height mm 530  
slewing angle +/- 30°  
weight kg 105

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

1.568,00

## RUBBER BLADE

The rubber blade is a useful accessory for breeding stables on smooth floors. Ensures effective scraping thanks to the special rubber edge, soft but wear resistant at the same time.



<b>A</b>	<b>4</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>5</b>	<b>9</b>
----------	----------	----------	----------	----------	----------	----------	----------

Rubber blade  
width mm 1400  
weight kg 80

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

1.148,00

# ATTACHMENTS

## PROFESSIONAL SNOW PLOW

High strength steel structure with lower polyurethane blade for clearing snow on sidewalks and roads. Hydraulically controlled tilting and mechanical absorption system.



**A 4 6 1 2 1 7 5**

Professional snow plow  
width mm 1500

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

3.243,00

**A 4 6 1 2 1 7 6**

Rubber blade kit

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

251,00

**A 4 6 1 2 1 7 7**

polyurethane blade kit

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

337,00

**A 4 6 1 2 1 7 8**

Kit 2 wheels

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

442,00

**A 4 6 1 2 1 7 9**

Blade height adjustment kit

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

190,00

## V-PLOW

Professional attachment designed for clearing snow from streets and squares. It is hydraulically controlled and offers different tilt angles. It's equipped with absorption springs and lower edge blades in polyurethane.



**A 4 6 1 2 1 2 9 M 1**

V-Plow 210  
width mm 2100  
slewing angle +/- 30°  
weight kg 400

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

8.198,00

# ATTACHMENTS

## SALT/SAND SPREADER

This attachment has been designed for maintenance of roads and sidewalks in the winter period. In summertime it can be used to spread sand or fertilizing. It is equipped with agitator, hydraulic operation. It must be mounted on the back of the machine.



A	4	6	1	2	0	1	6
---	---	---	---	---	---	---	---

Salt/sand spreader  
 dimensions mm 1052x1000x1210  
 volume l 250  
 spreading width m 4/15 (\*)  
 pressure 120 bar  
 oil capacity 25 l/min  
 weight kg 90

					28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

2.553,00

(\*) the machine requires rear hydraulic outlets

## PROFESSIONAL SNOWBLOWER

This snow blower efficiently removes wet and dry snow from roads, yards and pedestrian areas. The chimney is electrically adjustable by 180 ° and can be managed directly by the operator at the driver's seat.



A	4	6	1	2	1	5	6
---	---	---	---	---	---	---	---

Professional snowblower  
 width mm 1400  
 slewing angle +/- 30°  
 double stage / 5 paddles  
 weight kg 225

			830D				33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

10.523,00

## PALLET FORK

Built in high-strength steel with a safety frame to hold the load. Available in four versions depending on the machine model.



A	4	6	1	2	0	1	0
---	---	---	---	---	---	---	---

Pallet fork  
 width mm 800  
 blade length mm 900  
 lifting capacity kg 1000  
 weight kg 97

800ECO	820D	825D	830D		28T	30T	33T
33TLX				GEN25HP			

PRICE

802,00

A	4	6	1	2	1	0	9
---	---	---	---	---	---	---	---

Pallet fork  
 width mm 10 00  
 blade length mm 900  
 lifting capacity kg 1800  
 weight kg 127

	GEN40XD	MAXO57S	MAXO57D	GEN25HP			
--	---------	---------	---------	---------	--	--	--

1.031,00

A	4	6	1	2	1	5	4
---	---	---	---	---	---	---	---

Pallet fork  
 width mm 900  
 blade length mm 1200  
 lifting capacity kg 1800  
 weight kg 150

33TLX	820D	825D	830D		28T	30T	33T
				GEN25HP			

891,00

A	4	6	1	2	1	6	5
---	---	---	---	---	---	---	---

Pallet fork  
 width mm 800  
 blade length mm 1100  
 lifting capacity kg 1000  
 weight kg 110

800ECO	820D	825D	830D		28T	30T	33T
33TLX				GEN25HP			

844,00

# ATTACHMENTS

## PALLET FORK WITH SHIFTER

Made of high strength steel. Available in two versions depending on the machine model. Hydraulic control with shifter, ideal for working in small spaces with various pallet sizes.



A	4	6	1	2	1	3	5
---	---	---	---	---	---	---	---

Pallet fork with shifter  
width mm 900  
blade length mm 900  
lifting capacity kg 1000  
weight kg 150

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

1.266,00

A	4	6	1	2	1	3	6
---	---	---	---	---	---	---	---

Pallet fork with shifter  
width mm 900  
blade length mm 900  
lifting capacity kg 1800  
weight kg 190

	40XD	MAXO57S	MAXO57D	GEN25HP			
--	------	---------	---------	---------	--	--	--

1.478,00

## BACK 3 POINT LIFTER

The rear lift is indispensable for the connection of all the accessories that need to be operated from the back of the specially prepared machine. Hydraulic system.



A	4	6	1	2	1	1	9
---	---	---	---	---	---	---	---

Back 3 point lifter (\*)  
width mm 800  
lifting capacity kg 350  
weight kg 76

					28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

1.745,00

(\*) the machine requires rear hydraulic outlets and provision for a lift on 30 series (Option 45120170)

## BALE CLAMP

This hydraulic clamp is designed to work safely in the movement of bales without damaging them. It is available in versions for wrapped bales and not wrapped bales with special teeth that hold the forage.



A	4	6	1	2	1	0	5
---	---	---	---	---	---	---	---

Wrapped bale clamp  
for Ø mm1200-1500 bales  
weight kg 135

800ECO		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

2.461,00

A	4	6	1	2	1	0	7
---	---	---	---	---	---	---	---

Bale clamp (with forged teeth)  
for Ø mm1200-1500 bales  
weight kg 148

800ECO		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

2.629,00

# ATTACHMENTS

## ARBORIST LOG GRAPPLE

High capacity gripper to handle bulky and heavy logs. It is mainly used in forestry. Hydraulic system.



A	4	8	1	6	2	0	0
---	---	---	---	---	---	---	---

Logs grabbing tool  
caliper weight 82 kg  
rotor weight 12 kg  
lifting capacity kg 1400  
max pressure 250 bar

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

2.644,00

## LOG GRABBER

Attachment suitable for forestry, gardening, agriculture. High-strength steel toothed pliers designed to accommodate logs of varying sizes.



A	4	6	1	2	1	0	4
---	---	---	---	---	---	---	---

Log grabber  
weight kg 140

800ECO		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

2.407,00

## GRABBING TOOL

Attachment that is used in various sectors such as gardening, floriculture, industrial storage. Thanks to its pliers coupled with soft rubber, it lifts jars of various sizes without damaging them, industrial drums with maximum grip and safety.



A	4	8	1	6	0	7	1
---	---	---	---	---	---	---	---

Grabbing tool  
minimum diameter 320 mm  
maximum diameter 1000 mm  
weight kg 85

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

2.738,00

# ATTACHMENTS

## FLAIL MOWER WITH COLLECTION TANK

Ideal attachment for green professionals. Perfectly shaves the grass, both dry and wet. Adjustable cutting height. 700 liter collection, the box can easily emptied. Hydraulic system.



A	4	6	1	2	1	3	7
---	---	---	---	---	---	---	---

Flail mower with collection tank  
width mm 1200  
volume l 700  
weight kg 330

			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

7.286,00

## FLAIL MOWER

Grass shredder with great cutting power, very effective for cutting tall grass and pruning. Hydraulic operating system with high productivity in terms of time and cutting quality. Cutting height 2/12 cm.



A	4	6	1	2	0	2	8
---	---	---	---	---	---	---	---

Flail mower  
width mm 1050  
weight kg 130

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

3.743,00

A	4	6	1	2	0	2	9
---	---	---	---	---	---	---	---

Flail mower  
width mm 1300  
weight kg 152

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

3.975,00

A	4	6	1	2	0	3	0
---	---	---	---	---	---	---	---

Flail mower ("Y" blades)  
width mm 1550  
weight kg 170

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

4.238,00

A	4	6	1	2	1	7	3
---	---	---	---	---	---	---	---

Flail mower (hammer-blades)  
width mm 1550  
weight kg 170

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

4.900,00

A	4	6	1	2	0	6	1
---	---	---	---	---	---	---	---

3rd point rear connection (\*)  
back side

					28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

224,00

A	4	6	1	2	0	3	1
---	---	---	---	---	---	---	---

30 knives kit for "fine cut"  
for mm 1050 flail mower

					28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

525,00

A	4	6	1	2	0	3	2
---	---	---	---	---	---	---	---

40 knives kit for "fine cut"  
for mm 1300 flail mower

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

668,00

A	4	6	1	2	0	3	3
---	---	---	---	---	---	---	---

48 knives kit for "fine cut"  
for mm 1550 flail mower

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

825,00

A	4	6	1	2	1	4	5
---	---	---	---	---	---	---	---

Flow shutter valve kit

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

525,00

(\*) the machine requires rear hydraulic outlets and back 3rd point lifter

# ATTACHMENTS

## LAWN MOWER

Specific lawn mower for the gardening sector and green care in general. Excellent attachment for turf maintenance in golf courses, private and public gardens. Cutting height 10/130 mm.



**A 4 6 1 2 0 2 0**

Lawn mower  
width mm 1200  
weight kg 170

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

3.419,00

**A 4 6 1 2 0 2 4**

Lawn mower  
width mm 1350  
weight kg 185

			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

3.521,00

**A 4 6 1 2 0 9 8**

Lawn mower  
width mm 1500  
weight kg 200

			830D			30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

3.968,00

**A 4 6 1 2 0 2 2**

Kit for rear discharge  
for mm 1200 lawn mower

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

225,00

**A 4 6 1 2 0 2 6**

Kit for rear discharge  
for mm 1350 lawn mower

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

240,00

**A 4 6 1 2 1 4 0**

Kit for rear discharge  
for mm 1500 lawn mower

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

240,00

**A 4 6 1 2 0 2 3**

Mulching kit  
for mm 1200 lawn mower

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

285,00

**A 4 6 1 2 0 2 7**

Mulching kit  
for mm 1350 lawn mower

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

278,00

**A 4 6 1 2 1 0 0**

Mulching kit  
for mm 1500 lawn mower

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

277,00

**A 4 6 1 2 1 4 1**

Pneumatic wheels kit  
Ø mm 260

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

443,00

**A 4 6 1 2 1 4 2**

Pneumatic wheels kit  
Ø mm 330

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

705,00

**A 4 6 1 2 1 4 3**

Anti-scalp roller

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

88,00

**A 4 6 1 2 1 4 4**

Flow shutter valve kit

							33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

249,00

# ATTACHMENTS

## HEDGE CUTTER BAR

This serrated blade bar is the ideal attachment for the maintenance of hedges with an excellent finish quality. Electric / hydraulic operation. Cutting angle electrically adjustable from horizontal to vertical quickly and with extreme ease.



A	4	6	1	2	1	1	4
---	---	---	---	---	---	---	---

Hedge cutter bar (\*)  
length mm 1200  
arm mm 1200  
tilt angle 270°  
weight kg 180

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

3.563,00

A	4	6	1	2	1	1	5
---	---	---	---	---	---	---	---

Hedge cutter bar (\*)  
length mm 1500  
arm mm 1500  
tilt angle 270°  
weight kg 200

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

3.716,00

(\*) auxiliary electrical output 165W required

## STONEBURIER

It allows the optimal finishing of the soil by removing pebbles from the ground and chalking the land with excellent leveling. Excellent for the preparation of sowing in agriculture and gardening.



A	4	6	1	2	0	3	4
---	---	---	---	---	---	---	---

Stoneburier (\*)  
width mm 1050  
weight kg 175

			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

5.400,00

A	4	6	1	2	0	3	6
---	---	---	---	---	---	---	---

Stoneburier (\*)  
width mm 1250  
weight kg 260

			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

5.849,00

(\*) the machine requires rear hydraulic outlets and back 3rd point lifter

## ROTARY TILLER

This attachment operated by an excellent hydraulic system allows you to mill hard and compact soils and prepare them for sowing or planting.



A	4	6	1	2	0	3	9
---	---	---	---	---	---	---	---

Rear rotary tiller (\*)  
width mm 1050  
depth mm 150 - weight kg 100

					28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

2.588,00

A	4	6	1	2	0	4	0
---	---	---	---	---	---	---	---

Rear rotary tiller (\*)  
width mm 1250  
depth mm 150 - weight kg 120

					28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

2.918,00

A	4	6	1	2	1	3	8
---	---	---	---	---	---	---	---

Offset through handle

					28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

88,00

A	4	6	1	2	1	3	9
---	---	---	---	---	---	---	---

Flow shutter valve kit

					28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

525,00

(\*) the machine requires rear hydraulic outlets and back 3rd point lifter

# ATTACHMENTS

## CONCRETE MIXING BUCKET

It is a bucket equipped with a grill with splitting-bag teeth. Mixture of cement mixtures and concrete. Combined with Castloaders machines you can easily transport and unload the dough on sidewalks, narrow spaces, building floors, and basements. Hydraulic system.



A	4	6	1	2	0	4	4
---	---	---	---	---	---	---	---

Concrete mixing bucket (\*)  
width mm 1500  
volume l 200  
weight kg 222

			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

5.115,00

A	4	6	1	2	1	7	1
---	---	---	---	---	---	---	---

Concrete mixing bucket (\*)  
width mm 1520  
volume l 350  
weight kg 395

		MAXO57S	MAXO57D	GEN25HP			
--	--	---------	---------	---------	--	--	--

9.193,00

(\*) the machine requires back counterweights

## FRONT SCREENING BUCKET

It separates different grain sizes of aggregates. It is equipped with anti-shock valve, screens and anti-wear steel structure HB400. Requires an oil flow rate of at least 40 l/min and a maximum of 70 l/min.



A	4	6	1	2	1	6	0
---	---	---	---	---	---	---	---

Front screening bucket (\*)  
width mm 1200  
volume l 200 ca.  
weight kg 350  
Ø selected material 20 mm  
maximum pressure 180 bar

			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

11.819,00

(\*) the machine requires back counterweights

# ATTACHMENTS

## ROTARY BRUSH

It collects dust, light debris and foliage from streets, squares, courtyards, sidewalks, warehouses. All models are equipped with a recovery tank. It does not produce dust.



A	4	6	1	2	0	1	8
---	---	---	---	---	---	---	---

Rotary brush  
width mm 1200  
weight kg 144

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE  
4.723,00

A	4	6	1	2	0	1	9
---	---	---	---	---	---	---	---

Rotary brush  
width mm 1500  
weight kg 200

800ECO		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

5.280,00

A	4	6	1	2	1	4	7
---	---	---	---	---	---	---	---

Hydraulic inclination 25° right/left

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

482,00

## FLOATING ROTARY BROOM

This attachment is suitable for removing dirt, debris, snow, from roads, sidewalks, courtyards, yards. Rotating brush movement, with nylon bristles, operated by hydraulic and floating system with horizontal tilting mode.



A	4	6	1	2	1	1	2	M	1
---	---	---	---	---	---	---	---	---	---

Floating rotary broom, adjustable (\*)  
width mm 1200

800ECO		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE  
5.213,00

A	4	6	1	2	1	1	3	M	1
---	---	---	---	---	---	---	---	---	---

Floating rotary broom, adjustable (\*)  
width mm 1500

800ECO			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

5.363,00

(\*) auxiliary electrical output 165W required

## TRENCHER

The trencher is an essential attachment for practicing canals in the ground for different applications, in agriculture, gardening, construction. The digging width is 12 cm but it can be expanded up to 20 cm thanks to the optional excavation enlarger.



--	--	--	--	--	--	--	--

T800 Trencher  
digging depth mm 800  
digging width mm 120  
weight kg 260

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE  
----

--	--	--	--	--	--	--	--

Excavation enlarger kit  
width 150 - 200 mm

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

----

--	--	--	--	--	--	--	--

Trench cleaner

		825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

----

# ATTACHMENTS

## EXCAVATOR



A	4	6	1	2	1	7	4
---	---	---	---	---	---	---	---

Excavator B13  
 bucket volume l 14  
 bucket dimension mm 300  
 range of action mm 2000  
 rotation 180°  
 digging depth mm 1300  
 weight kg 250

800ECO		825D	830D		28T	30T	33T
33TLX				GEN25HP			

PRICE  
5.875,00

A	4	6	1	2	1	6	1
---	---	---	---	---	---	---	---

Excavator B13  
 bucket volume l 14  
 bucket dimension mm 300  
 range of action mm 2000  
 rotation 180°  
 digging depth mm 1300  
 weight kg 250

	40XD	MAXO57S	MAXO57D				
--	------	---------	---------	--	--	--	--

5.756,00

## MINI EXCAVATOR



A	4	6	1	2	0	4	5
---	---	---	---	---	---	---	---

Mini excavator  
 bucket volume l 14  
 bucket dimension mm 300  
 digging depth mm 1700  
 weight kg 80

	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE  
1.933,00

# ATTACHMENTS

## PILE HAMMER

Useful attachment in gardening, agriculture and breeding for planting poles without special soil preparation. It is fastened to the machine quickly and with its vibrating hammer is able to plant medium-sized poles on the ground for making palings, fences, etc. in a few seconds.

PRICE



A 4 6 1 2 0 5 4

Hydraulic pile hammer  
hydraulic system 15 ÷ 30 l/min  
weight of engine kg 60

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

4.031,00

## HYDRAULIC HAMMER

With an optimal weight-power, the hydraulic hammer is a professional attachment that develops all the energy needed to drill asphalt, demolish rock and concrete. Available in two versions.

PRICE



A 4 6 1 2 0 4 6

Hydraulic hammer 60  
hydraulic system 15 ÷ 30 l/min  
weight of engine kg 60

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

3.926,00

A 4 6 1 2 0 5 0

Hydraulic hammer 90  
hydraulic system 20 ÷ 40 l/min  
weight of engine kg 90

33TLX	40XD	MAXO57S	830D	GEN25HP	28T	30T	33T
-------	------	---------	------	---------	-----	-----	-----

4.567,00

A 4 6 1 2 0 4 8

Chisel drill for mod. 60

33TLX	40XD	MAXO57S	830D	GEN25HP	28T	30T	33T
-------	------	---------	------	---------	-----	-----	-----

153,00

A 4 6 1 2 0 5 2

Chisel drill for mod. 90

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

307,00

A 4 6 1 2 0 4 9

Asphalt drill for mod. 60

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

512,00

A 4 6 1 2 0 5 3

Asphalt drill for mod. 90

800ECO			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

560,00

## AUGER

Specific attachment to drill holes for planting, palisades, fences, small pillars. Ideal for breeding, agriculture, construction. Available with two different hydraulic capacities, it allows working on medium and high hardness soils, from sandy/clayey to rocky terrain.

PRICE



A 4 6 1 2 0 6 2

Hydraulic auger - head T1\*  
hydraulic system 30 l/min  
pressure 250 bar  
weight of engine kg 90

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

1.958,00

A 4 6 1 2 0 6 3

Hydraulic auger - head T2\*  
hydraulic system 50 l/min  
pressure 250 bar  
weight of engine kg 100

800ECO			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

2.243,00

(\*) Drills not included

# ATTACHMENTS

## DRILLS FOR CLAY/SANDY SOILS

Drills for auger suitable for sandy and clay soils. Built with the highest quality materials, these drills represent the best tools for professionals and guarantee long life and excellent performance.



A	4	6	1	2	0	6	4
---	---	---	---	---	---	---	---

∅ mm 100 drill  
length mm 1000

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

474,00

A	4	6	1	2	0	6	5
---	---	---	---	---	---	---	---

∅ mm 150 drill  
length mm 1000

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

501,00

A	4	6	1	2	0	6	6
---	---	---	---	---	---	---	---

∅ mm 200 drill  
length mm 1000

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

569,00

A	4	6	1	2	0	6	7
---	---	---	---	---	---	---	---

∅ mm 250 drill  
length mm 1000

800ECO	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

583,00

A	4	6	1	2	0	6	8
---	---	---	---	---	---	---	---

∅ mm 300 drill  
length mm 1000

	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

695,00

A	4	6	1	2	0	6	9
---	---	---	---	---	---	---	---

∅ mm 350 drill  
length mm 1000

	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

824,00

A	4	6	1	2	0	7	0
---	---	---	---	---	---	---	---

∅ mm 400 drill  
length mm 1000

	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

896,00

A	4	6	1	2	0	7	1
---	---	---	---	---	---	---	---


∅ mm 450 drill  
length mm 1000

	820D	825D	830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

932,00

## DRILLS FOR STONY SOILS (\*)

These drills are suitable for working on very hard stony terrain and satisfy the most demanding users thanks to the high strength metal.



A	4	6	1	2	0	8	2
---	---	---	---	---	---	---	---

∅ mm 150 drill  
length mm 1000

			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

PRICE

665,00

A	4	6	1	2	0	8	3
---	---	---	---	---	---	---	---

∅ mm 200 drill  
length mm 1000

			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

806,00

A	4	6	1	2	0	8	4
---	---	---	---	---	---	---	---

∅ mm 250 drill  
length mm 1000

			830D		28T	30T	33T
33TLX	40XD	MAXO57S	MAXO57D	GEN25HP			

843,00

(\*) only with T2 head Auger

# ATTACHMENTS

## DRILL EXTENSIONS FOR CLAY/SANDY SOILS

These drill extensions are made of high-strength steel and are suitable for all our specific drills for clay and sandy soils.



**A 4 6 1 2 0 7 3**

∅ mm 100 drill extension  
length mm 1000

**A 4 6 1 2 0 7 4**

∅ mm 150 drill extension  
length mm 1000

**A 4 6 1 2 0 7 5**

∅ mm 200 drill extension  
length mm 1000

**A 4 6 1 2 0 7 6**

∅ mm 250 drill extension  
length mm 1000

**A 4 6 1 2 0 7 7**

∅ mm 300 drill extension  
length mm 1000

**A 4 6 1 2 0 7 8**

∅ mm 350 drill extension  
length mm 1000

**A 4 6 1 2 0 7 9**

∅ mm 400 drill extension  
length mm 1000

**A 4 6 1 2 0 8 0**

∅ mm 450 drill extension  
length mm 1000


**A 4 6 1 2 0 8 1**

∅ mm 500 drill extension  
length mm 1000

								PRICE
800ECO 33TLX	820D 40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	386,00
800ECO 33TLX	820D 40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	422,00
800ECO 33TLX	820D 40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	443,00
800ECO 33TLX	820D 40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	447,00
800ECO 33TLX	820D 40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	515,00
33TLX	820D 40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	574,00
33TLX	820D 40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	606,00
33TLX	820D 40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	645,00
33TLX	820D 40XD	825D MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	677,00

## DRILL EXTENSIONS FOR STONY SOILS (\*)

These drill extensions are made of high-strength steel and are suitable for all our specific drills for stony soils.



**A 4 6 1 2 0 9 0**

∅ mm 150 drill extension  
length mm 1000

**A 4 6 1 2 0 9 1**

∅ mm 200 drill extension  
length mm 1000

**A 4 6 1 2 0 9 2**

∅ mm 250 drill extension  
length mm 1000

								PRICE
33TLX	40XD	MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	447,00
33TLX	40XD	MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	494,00
33TLX	40XD	MAXO57S	830D MAXO57D	GEN25HP	28T	30T	33T	501,00

(\*) only with T2 head Auger

# WHEELS

\*\* prices for 4 wheels kit

CODE								DESCRIPTION	SIZE	PRICE **
4	5	1	6	1	0	2	0	TURF	26x12.00-12	1.391,00
4	5	1	6	1	0	2	1	TURF	24x13.00-12	1.442,00
4	5	1	6	1	0	2	2	SKID	26x12.00-12	1.545,00
4	5	1	6	1	0	2	3	TRACTOR	23x10.50-12	1.071,00
4	5	1	6	1	0	0	5	TURF	23x10.50-12	1.359,00
4	5	1	6	1	0	0	3	TURF	26.50x14.00-12	1.947,00
4	5	1	6	1	0	2	4	TURF	23x8.50-12	1.406,00
4	5	1	6	1	0	2	6	TRACTOR (<1000mm - only for 800 series)	23x8.50-12	1.452,00
4	5	1	6	1	0	1	3	TRACTOR	23x8.50-12	1.616,00
4	5	1	6	1	0	3	9	TURF	29x12.50-50	2.266,00
4	5	1	6	1	0	2	5	TURF (only for Maxo Series)	31x15.50-15	2.369,00
4	5	1	6	1	0	1	9	TRACTOR	26x12.00-12	1.494,00
4	5	1	6	1	0	2	7	BKT TRAC MASTER	300/60-12	1.607,00
4	5	1	6	1	0	3	7	TURF	31x15.50-15	2.575,00
4	5	1	6	1	0	3	3	ALL TRAC	31x15.50-15	2.304,00
4	5	1	6	1	0	3	4	TRACTOR (only for Genesis 40XD)	29x12.50-15	1.879,00
4	5	1	6	1	0	4	0	TRACTOR (only for Maxo Series)	31x15.50-15	2.225,00
4	5	1	6	1	0	4	1	TRACTOR (only for 825D)	7.00-12	1.736,00

# AFTER MARKET

																			PRICE	
Electric floating system kit 30 series	4	5	1	6	0	0	0	6	33TLX						28T	30T	33T			334,00
Electric floating system kit 800 series	4	5	1	6	0	0	0	5		820D	825D	830D								334,00
165W Rear auxiliary electric outlet kit	4	5	1	6	0	0	0	8	33TLX						28T	30T	33T			299,00
210 Kg rear counterweights kit	4	5	1	6	0	0	1	1	33TLX						28T	30T	33T			2.049,00
Spacer kit + fixing studs	4	5	1	6	0	0	1	2	800ECO 33TLX	820D	825D	830D			28T	30T	33T			415,00
Trailer coupling kit for 100 Kg rear counterweights	4	5	1	6	0	0	1	3	33TLX						28T	30T	33T			513,00
11- function joystick kit	4	5	1	6	0	0	1	5		820D	825D									1.473,00
Quick coupling system "MULTIFASTER"® complete kit	4	5	1	6	0	0	1	9	800ECO 33TLX	820D	825D	830D			28T	30T	33T			910,00
Floating kit with MgQuix pipes	4	5	1	6	0	0	2	0	800ECO	820D	825D	830D								346,00
Selflevelling kit without MgQuix pipes	4	5	1	6	0	0	2	1							28T					1.379,00
Selflevelling kit with MgQuix pipes	4	5	1	6	0	0	2	2							28T					1.379,00
Selflevelling w. parallel distributor kit	4	5	1	6	0	0	2	3							28T					1.379,00
Selflevelling w. parallel distributor with MgQuix pipes	4	5	1	6	0	0	2	4							28T					1.379,00
11- function joystick kit	4	5	1	6	0	0	2	5												1.473,00
11- function joystick kit without MgQuix pipes	4	5	1	6	0	0	2	6							28T	30T	33T			1.473,00
11- function joystick kit with MgQuix pipes	4	5	1	6	0	0	2	7							28T	30T	33T			1.473,00
210 Kg rear counterweights kit	4	5	1	6	0	0	2	8		820D	825D	830D								2.049,00
Cabin kit	4	5	1	6	0	0	2	9		40XD										4.326,00
Heating kit	4	5	1	6	0	0	3	0		40XD										958,00
100 Kg rear counterweights kit	4	5	1	6	0	0	6	4		820D	825D	830D								897,00

# AFTER MARKET

													PRICE					
100 Kg rear counterweights kit	4	5	1	6	0	0	3	2	33TLX					28T	30T	33T	1.028,00	
Work LED lights (2 front + 1 rear) kit	4	5	1	6	0	0	3	1	800ECO	820D	825D	830D					361,00	
Trailer coupling kit for 100 Kg rear counterweights	4	5	1	6	0	0	3	3		820D	825D	830D					308,00	
Winter protection kit	4	5	1	6	0	0	3	5		820D	825D	830D					836,00	
Winter protection kit	4	5	1	6	0	0	3	4	33TLX					28T	30T	33T	836,00	
Radiator protection grid kit	4	5	1	6	0	0	3	7	33TLX					28T	30T	33T	695,00	
Radiator protection grid kit	4	5	1	6	0	0	3	8			MAXO57S	MAXO57D					717,00	
Trailer coupling kit for 210 Kg rear counterweights	4	5	1	6	0	0	3	9	33TLX	40XD	MAXO57S	MAXO57D		28T	30T	33T	330,00	
Adjustable soft rubber armrest kit	4	5	1	6	0	0	4	0	33TLX					28T	30T	33T	175,00	
Conversion kit from 10-function joystick to 11-function joystick	4	5	1	6	0	0	4	1	33TLX	820D 40XD	825D		MAXO57D		28T	30T	33T	494,00
Electric floating system kit Maxo	4	5	1	6	0	0	4	2			MAXO57S	MAXO57D					285,00	
Trailer coupling kit	4	5	1	6	0	0	4	3	800ECO								308,00	
Cabin kit	4	5	1	6	0	0	4	6	33TLX					28T	30T	33T	3.341,00	
Winter protection kit	4	5	1	6	0	0	4	4			MAXO57S	MAXO57D					890,00	
Attachment plate (to be welded)	4	5	1	6	0	0	4	8	800ECO 33TLX	820D 40XD	825D	830D		28T	30T	33T	191,00	
Quick coupling system "MULTIFASTER" ® Part for the attachments	4	5	1	6	0	0	4	7	800ECO 33TLX	820D 40XD	825D	830D		28T	30T	33T	341,00	
Quick coupling system "MULTIFASTER" ® Part fixed on the machine	4	5	1	6	0	0	5	7			MAXO57S	MAXO57D					616,00	
Kit for wheels lashing point (2pcs)	4	5	1	6	0	0	5	3	800ECO 33TLX	820D 40XD	825D MAXO57S	830D MAXO57D		28T	30T	33T	119,00	
210 Kg rear counterweights kit	4	5	1	6	0	0	6	3			MAXO57S	MAXO57D					2.049,00	
Driving lights kit	4	5	1	6	0	0	6	1	33TLX					28T	30T	33T	1.190,00	

# AFTER MARKET

												PRICE			
Driving lights kit	4	5	1	6	0	0	6	5	800ECO				1.612,00		
Heating system kit	4	5	1	6	0	0	6	6	33TLX			28T	30T	33T	1.115,00
Cabin + heating kit	4	5	1	6	0	0	6	7			MAXO57S	MAXO57D			5.200,00
Sunroof + plexiglass kit	4	5	1	6	0	0	6	9							187,00
Traction battery	4	5	1	6	0	0	7	0	800ECO						5.200,00