



GREEN CLIMBER
LV 250



MAXIMUM AGILITY

THE MOST COMPACT & FLEXIBLE GREEN CLIMBER WITH
VARIABLE WIDTH AND INTERCHANGEABLE ATTACHMENT



DURABILITY

The **LV 250** is a specialist machine with an undercarriage built from high strength materials with a corrosion resistant coating.



VERSATILE

The height of the cutting blade can electronically be adjusted to continue working on different types of terrain.



GREATER STABILITY

The low center of gravity and high profile tracks achieve an unrivalled stability on uneven and steep terrain up to 60°.



ALWAYS READY FOR ACTION

The Smart Battery System (SBS) is an integrated sealed compartment that houses a battery charger for the remote control. The spare battery recharges automatically while the machine is working.



TOW CAPABILITY

A sturdy hitch for connecting a trailer or cart.



SAFETY

The remote control integrates all movements. Driving is extremely easy and precise with a single joystick to operate and steer the tracks.




Green Climber – LV 250

TECHNICAL SPECIFICATIONS

Dry weight without attachment	600 kg
Maximum slope	60°
Extendable undercarriage	800 mm / 1040 mm
Side shifting	300 mm
Engine	Kawasaki FX730V
No. of cylinders	2
Engine power	22.2 hp / 16.6 kw
Engine torque	54.3 Nm @ 2000 rpm
Emissions	Stage V - EPA Tier 4 Final
Tank capacity	20 L Petrol
Cooling system	Air cooled
Hydraulic oil tank	16 L
Hydraulic auxiliary lines	2 On/Off
Transmission	Hydrostatic proportional
Speed	7.5 km/h

© MDB Srl 2025 - Image, technical and construction specifications subject to change with no obligation of prior notification. All rights reserved.



MDB srl
www.mdb srl.com
Via Cupone 13
66022 Fossacesia (CH)
Italia

